

L Number	Hits	Search Text	DB	Time stamp
1	4434	719/\$.ccls.	USPAT; US-PGPUB	2004/08/11 15:54
26	0	profil\$5.ti. and @ad<=19990128 and (without adj compiler)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 15:55
35	0	((US-6000028-\$).did.) and time\$1stamp	USPAT	2004/08/11 15:55
40	0	((US-6212493-\$ or US-6002872-\$ or US-5768500-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and ((first and second) adj (processor or CPU or multi\$1processor))	USPAT	2004/08/11 15:55
47	0	((US-6000028-\$).did.) and (hardware and software)	USPAT	2004/08/11 15:55
50	0	(identif\$4 with instruction with text with execut\$4) and 709/1-108.ccls.	USPAT	2004/08/11 15:55
51	0	((identif\$4 with instruction with text with execut\$4) and 709/1-108.ccls.) and @ad<=19990128	USPAT	2004/08/11 15:55
55	0	((instruction same ((stor\$4 sav\$4 record\$4) adj event)) and @ad<=19990128) and 709/1-108.ccls.	USPAT	2004/08/11 15:56
56	0	(instruction with sequential\$4 with adjacent) and 709/1-108.ccls.	USPAT	2004/08/11 15:56
57	84	instruction with sequential\$4 with adjacent	USPAT	2004/08/11 15:56
62	10	(profile adj circuitry) and @ad<=19990128	USPAT	2004/08/11 15:56
63	219365	profil\$4 and @ad<=19990128	USPAT	2004/08/11 15:56
64	193	(profil\$4 and @ad<=19990128) and ((record\$4 sav\$4 stor\$4) with address with (range boundaries))	USPAT	2004/08/11 15:56
68	0	(profil\$4 and @ad<=19990128) and (address adj range adj complet\$4)	USPAT	2004/08/11 15:56
72	439	((record\$4 sav\$4 stor\$4) with (last adj byte)) and @ad<=19990128	USPAT	2004/08/11 15:56
75	0	((record\$4 sav\$4 stor\$4) with (last adj byte) with (range boundary)) and @ad<=19990128) and profil\$4	USPAT	2004/08/11 15:56
2	44623	profil\$5.ti. and @ad<=19990128	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 15:57
3	131	(profil\$5.ti. and @ad<=19990128) and (execut\$5 with instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 15:57
4	2	((profil\$5.ti. and @ad<=19990128) and (execut\$5 with instruction)) and (instruction adj pipeline)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 15:57
5	1	("3544969").PN.	USPAT	2004/08/11 15:57
6	1	("3781823").PN.	USPAT	2004/08/11 15:57
7	1	("4084235").PN.	USPAT	2004/08/11 15:57

8	1	("4455602").PN.	USPAT	2004/08/11 15:57
9	1	("4575797").PN.	USPAT	2004/08/11 15:57
10	1	("5542109").PN.	USPAT	2004/08/11 15:57
11	1	("5638525").PN.	USPAT	2004/08/11 15:57
12	1	("5796939").PN.	USPAT	2004/08/11 15:57
13	1	("5802272").PN.	USPAT	2004/08/11 15:57
14	1	("5802373").PN.	USPAT	2004/08/11 15:57
15	1	("5822578").PN.	USPAT	2004/08/11 15:57
16	1	("5832205").PN.	USPAT	2004/08/11 15:57
17	1	("5842017").PN.	USPAT	2004/08/11 15:57
18	1	("5930509").PN.	USPAT	2004/08/11 15:57
19	1	("5949415").PN.	USPAT	2004/08/11 15:57
20	1	("5958047").PN.	USPAT	2004/08/11 15:57
21	1	("6000028").PN.	USPAT	2004/08/11 15:57
22	1	("6091897").PN.	USPAT	2004/08/11 15:57
23	17	(US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.	USPAT	2004/08/11 15:57
24	12	((US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and compiler	USPAT	2004/08/11 15:57
25	8	((US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and (execut\$4 with profil\$5)	USPAT	2004/08/11 15:57
27	17	(US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.	USPAT	2004/08/11 15:57

28	9	((US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and profil\$4	USPAT	2004/08/11 15:57
29	17	((US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and (stor\$4 or sav\$4 or memory or source or destination or (control adj flow) or event or diverg\$4 or sequen\$5)	USPAT	2004/08/11 15:57
30	16	((US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and (sequen\$5)	USPAT	2004/08/11 15:57
31	17	((US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.	USPAT	2004/08/11 15:57
32	3	((US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and timer	USPAT	2004/08/11 15:57
33	32	(profil\$5.ti. and @ad<=19990128) and (execut\$5 with instruction) and timer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/11 15:57
34	13	(profil\$5.ti. and @ad<=19990128) and (execut\$5 with instruction) and (timer same event)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/11 15:57
36	2	((profil\$5.ti. and @ad<=19990128) and (execut\$5 with instruction) and timer) and time\$1stamp	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/11 15:57

37	19	(US-6212493-\$ or US-6002872-\$ or US-5768500-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.	USPAT	2004/08/11 15:57
38	15	((US-6212493-\$ or US-6002872-\$ or US-5768500-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and ((first or second) with (processor or CPU or multi\$lprocessor))	USPAT	2004/08/11 15:57
39	12	((US-6212493-\$ or US-6002872-\$ or US-5768500-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and ((first and second) with (processor or CPU or multi\$lprocessor))	USPAT	2004/08/11 15:57
41	796	((first adj processor) same (second adj processor)) and @ad<=19990128 and multi\$lprocessor	USPAT	2004/08/11 15:58
42	218	((first adj processor) same (second adj processor)) and @ad<=19990128 and multi\$lprocessor) and pipelin\$4	USPAT	2004/08/11 15:58
43	7	((first adj processor) same (second adj processor)) and @ad<=19990128 and multi\$lprocessor) and pipelin\$4) and profil\$4	USPAT	2004/08/11 15:58
44	53	((first adj processor) same (second adj processor)) and @ad<=19990128 and multi\$lprocessor) and ((instruction data) adj pipelin\$4)	USPAT	2004/08/11 15:58
45	1	(US-6000028-\$).did.	USPAT	2004/08/11 15:58
46	1	((US-6000028-\$).did.) and (pipeline memory queue list)	USPAT	2004/08/11 15:58
48	1	((US-6000028-\$).did.) and (hardware software)	USPAT	2004/08/11 15:58
49	53	identif\$4 with instruction with text with execut\$4	USPAT	2004/08/11 15:58
52	37	(identif\$4 with instruction with text with execut\$4) and @ad<=19990128	USPAT	2004/08/11 15:58
53	1	(identif\$4 with instruction with text with execut\$4 with page) and @ad<=19990128	USPAT	2004/08/11 15:58
54	193	(instruction same ((stor\$4 sav\$4 record\$4) adj event)) and @ad<=19990128	USPAT	2004/08/11 15:58
58	68	(instruction with sequential\$4 with adjacent) and @ad<=19990128	USPAT	2004/08/11 15:58
59	5	((instruction with sequential\$4 with adjacent) and @ad<=19990128) and profil\$4	USPAT	2004/08/11 15:58
60	15	instruction with sequential\$4 with adjacent with address	USPAT	2004/08/11 15:58
61	12	(instruction with sequential\$4 with adjacent with address) and @ad<=19990128	USPAT	2004/08/11 15:58

65	14	((profil\$4 and @ad<=19990128) and ((record\$4 sav\$4 stor\$4) with address with (range boundaries))) and (byte with (boundary range))	USPAT	2004/08/11 15:58
66	2	((profil\$4 and @ad<=19990128) and ((record\$4 sav\$4 stor\$4) with address with (range boundaries))) and (byte with (boundary range) with every)	USPAT	2004/08/11 15:58
67	3	(profil\$4 and @ad<=19990128) and ((record\$4 sav\$4 stor\$4) with address with (range boundaries) with (complet\$4 finish\$4))	USPAT	2004/08/11 15:58
69	2	address adj range adj complet\$4	USPAT	2004/08/11 15:58
70	3263	(record\$4 sav\$4 stor\$4) with every with address	USPAT	2004/08/11 15:59
71	1	(address adj range adj complet\$4) and @ad<=19990128	USPAT	2004/08/11 15:59
73	19	((record\$4 sav\$4 stor\$4) with (last adj byte)) and @ad<=19990128) and profil\$4	USPAT	2004/08/11 15:59
74	16	((record\$4 sav\$4 stor\$4) with (last adj byte) with (range boundary)) and @ad<=19990128	USPAT	2004/08/11 15:59